


## **Ninestar Copier Product Portfolio**

### Boosts Your Business in Easy Way



### A "Get Rich Quick" Plan for You

Want to start a business as an IT/print service provider in your local market but don't have a lot of startup money or time to invest in specialized equipment or developing skills? Then you'll want to have a look at Ninestar Copier Product Portfolio--a simplified, one-stop and efficient solution designed for IT/print service providers to enjoy boosting profits quickly and easily.

111

### The Can't-Miss Sector in Your Business: MFPs

If you're well equipped with the industry knowledge necessary to be IT/print service provider, then you know multifunctional printers (MFPs) are extremely popular among your customers across different fields due to following benefits:



Powerful document processing capacity



Higher duty cycle

While your customers are counting on MFPs to optimize their workflows, you are not going to miss the potential opportunities lying in MFPs sector.







### To Lead the Pack: Avoid All Pain Points

To stand out from your opponents and to boost profit margin, you need to:

$\left( \right)$	6		
l	E	Ξ	J

**Lower device investment and provide cost-effective premium third-party print supplies.** The Cost per Page (CPP) you offer for your customers can not be competitive if you use brand new machines and original print consumables.



#### Provide outstanding user experience by offering reliable product.

Enterprise users pay more attention to product reliability than individual users do. If you don't deliver that quality again and again—those who were in your corner one day may not be the next.



#### Extend the service life of hardware.

The longer the service life, the lower the cost per page and the maintenance cost you can enjoy.



#### Simplify maintenance.

Simplified maintenance process lowers requirement for maintenance technique, therefore, even unskilled people can handle maintenance easily and efficiently.





### **Refurbished Copier Provides Genuine Performance**

Why refurbished? Save your cost is a no-brainer. We guarantee our refurbished copiers are much more affordable than unopened originals, but many of them are just as powerful.

### This is how we do:



With its exterior reconditioned, interior cleaned, key vulnerable parts replaced and repaired, consumable components standardized and recycled, the entire device regain more than 90% of the performance of a brand new machine.



Each refurbished copier has the same standard and delivers same, brilliant performance.



All units are recycled and can regain the performance of brand-new ones.



Each refurbished copier comes with a set of toner cartridges ready to be used at any time. Usually, you cannot get a set of free cartridges even though you purchase the original machines.

Currently, there are two models of devices available, Ricoh MP C3503 and MP C5503. In the future, more models will be released according to market demands.

## Specifications

MP C3503		MP C3503	MP C5503	
		General Specifications		
Copy speed(B&V	N & Color)	35 ppm	55 ppm	
	B&W	4.6 seconds	3.1 seconds	
First Copy Time	FC	7.1 seconds	4.5 seconds	
Warm-Up 7	Time	Less than 20 seconds	Less than 20 seconds	
Recovery from S	leep Mode	10 seconds	10 seconds	
Quantity Inc	dicator	Up to 999 pages	Up to 999 pages	
Memory	Standard	1.5GB	2GB	
Capacity	Maximum	2GB	2GB	
Hard drive ca	apacity	250GB	250GB	
Zoom		25%-400% in 1% increments	25%-400% in 1% increments	
	Standard	1200 sheets	1200 sheets	
Paper Capacity	Maximum	4700 sheets	4700 sheets	
Dimensions(V		587 x 685 x 912 mm	587 x 685 x 963 mm	
Weigh		93.1KG	99.9KG	
			1,584W or less	
Power Consu		1 584W/ or less		
Power Consu	Imption	1,584W or less Printer Specifications		
		Printer Specifications 35ppm	55ppm	
Print speed(B&V	V & Color)	Printer Specifications 35ppm	55ppm	
Print speed(B&V Print Resol	V & Color)	Printer Specifications           35ppm           1200 x 1200 dpi	55ppm 1200 x 1200 dpi	
Print speed(B&V	V & Color) ution	Printer Specifications 35ppm	55ppm 1200 x 1200 dpi dard: PCL5c, PCL6, PDF Direct Print, Media Print & X	
Print speed(B&V Print Resol	V & Color) ution Standard	Printer Specifications           35ppm           1200 x 1200 dpi           Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS	55ppm 1200 x 1200 dpi Idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge	
Print speed(B&V Print Resol	V & Color) ution Standard Optional	Printer Specifications           35ppm           1200 x 1200 dpi           Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS           Adobe PostScript3, IPDS & PictBridge	55ppm 1200 x 1200 dpi Idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge I)	
Print speed(B&V Print Resol Print Drives	V & Color) ution Standard Optional	Printer Specifications           35ppm           1200 x 1200 dpi           Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS           Adobe PostScript3, IPDS & PictBridge           Facsimile Specifications (Optional)	55ppm 1200 x 1200 dpi Idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge I)	
Print speed(B&V Print Resol Print Drives Compatib	V & Color) ution Standard Optional iility Method	Printer Specifications           35ppm           1200 x 1200 dpi           Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS Adobe PostScript3, IPDS & PictBridge           Facsimile Specifications (Optiona G3: Approximately 2 seco	55ppm 1200 x 1200 dpi Idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge I) Inds/page (JBIG)	
Print speed(B&V Print Resol Print Drives Compatib Compatib	V & Color) ution Standard Optional illity Method peed	Printer Specifications         35ppm         1200 x 1200 dpi         Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS         Adobe PostScript3, IPDS & PictBridge         Facsimile Specifications (Optiona         G3: Approximately 2 seco         MH, MR, MMR, JBIG	55ppm 1200 x 1200 dpi Idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge I) Inds/page (JBIG) MH,MR, MMR, JBIG	
Print speed(B&V Print Resol Print Drives Compression Modem Sp Transmission	V & Color) ution Standard Optional illity Method peed	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS         Adobe PostScript3, IPDS & PictBridge       Star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps	55ppm 1200 x 1200 dpi ndard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) nds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp	V & Color) ution Standard Optional wility Method beed Speed	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS       Star         Adobe PostScript3, IPDS & PictBridge       Star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       Up to 68 spm	55ppm 1200 x 1200 dpi ndard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) nds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp Transmission Memory	V & Color) ution Standard Optional iility Method oeed Speed Standard	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS         Adobe PostScript3, IPDS & PictBridge       star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       4MB	55ppm 1200 x 1200 dpi idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) inds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm 4MB	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp Transmission Memory Capacity	V & Color) ution Standard Optional iility Method oeed Speed Standard	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS         Adobe PostScript3, IPDS & PictBridge       star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       4MB         28MB       28MB	55ppm 1200 x 1200 dpi idard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) inds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm 4MB	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp Transmission Memory Capacity	V & Color) ution Standard Optional wility Method beed Speed Standard Maximum	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS       Star         Adobe PostScript3, IPDS & PictBridge       Star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       4MB         28MB       Scanner Specifications         Scan-to-Email (with LE	55ppm 1200 × 1200 dpi ndard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) Inds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm 4MB 28MB 110 ipm Simplex/ 180 ipm Duplex DAP support)	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp Transmission Memory	V & Color) ution Standard Optional illity Method beed Speed Standard Maximum DF3110	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       1200 x 1200 dpi         Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS       Star         Adobe PostScript3, IPDS & PictBridge       Star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       4MB         28MB       28MB         Scanner Specifications         200/300 dpi: 79 ipm       "Scan-to-Email (with LE Scan-to-Folder (SMB/	55ppm 1200 × 1200 dpi ndard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) Inds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm 4MB 28MB 110 ipm Simplex/ 180 ipm Duplex DAP support) (FTP/NCP*)	
Print speed(B&V Print Resol Print Drives Compatib Compression Modem Sp Transmission Memory Capacity Scanning Speed	V & Color) ution Standard Optional illity Method beed Speed Standard Maximum DF3110	Printer Specifications         35ppm       35ppm         1200 x 1200 dpi       Standard: PCL5c, PCL6, PDF Direct Print, Media Print & XPS       Star         Adobe PostScript3, IPDS & PictBridge       Star         G3: Approximately 2 seco         MH, MR, MMR, JBIG       33.6K-2,400bps         Up to 68 spm       4MB         28MB       Scanner Specifications         Scan-to-Email (with LE	55ppm 1200 × 1200 dpi ndard: PCL5c, PCL6, PDF Direct Print, Media Print & X Adobe PostScript3, IPDS & PictBridge 1) Inds/page (JBIG) MH,MR, MMR, JBIG 33.6K-2,400bps and 82 spm 4MB 28MB 110 ipm Simplex/ 180 ipm Duplex DAP support) FTP/NCP*) L	

MP C3503

MP C5503

 $\square$ 

### **Replacement Units Lead to Simplicity**

As an one-stop provider of printing solutions, Ninestar also provide various replacement units which simplify the replacing process.



Ninestar has sufficient resources to produce recycled units of copier printer and can meet your demand through constant and stable supply of products.




Those units are equipped with high-quality imported components, making them better regain the original performance.



The maintenance mode similar to OEM reduces the defect rate and saves overall cost. It takes maximum 10 minutes to complete the entire maintenance and replacement without interrupting the end users from using it.



They can be reused and recycled again.





### **Premium-quality Cartridges**

To further expand the range of your portfolio, Ninestar offers quality remanufactured products that are perfectly compatible for certain copier models. Those products, including Reborn and TurboTec series, give your customers more premium alternatives when choosing cartridges.

- 100% Reman toner enable users to enjoy OEM-like printing performance. G&G Reborn remanufactured cartridges for use in Ricoh, Canon, Konica Minolta and Xerox are available now.
- 100% original empty cartridge brings lower defect rate, complete functionality and same experience as original users.
- 100% OEM chip(reset) shows printing information precisely, and endows the cartridge with antifirmware capability. This ensures worry-free use.

- Patented TurboTec technology
- OEM-equivalent user experience
- Less pollution & no damage to your machine



Ninestar

# Our goal is to help you achieve yours.

Reliable Solutions. Lower Overall Cost. Better Profit Margin.



